
AdafruitSlideshow Library Documentation

Release 1.0

Kattni Rembor

Nov 23, 2020

Contents

1	Dependencies	3
2	Installing from PyPI	5
3	Usage Example	7
4	Contributing	9
5	Documentation	11
6	Table of Contents	13
6.1	Simple test	13
6.2	adafruit_slideshow	14
6.2.1	Implementation Notes	14
7	Indices and tables	17
	Python Module Index	19
	Index	21

CircuitPython helper library for displaying a slideshow of images on a display.

CHAPTER 1

Dependencies

This driver depends on:

- [Adafruit CircuitPython](#)

Please ensure all dependencies are available on the CircuitPython filesystem. This is easily achieved by downloading the [Adafruit library and driver bundle](#).

Installing from PyPI

On supported GNU/Linux systems like the Raspberry Pi, you can install the driver locally [from PyPI](#). To install for current user:

```
pip3 install adafruit-circuitpython-slideshow
```

To install system-wide (this may be required in some cases):

```
sudo pip3 install adafruit-circuitpython-slideshow
```

To install in a virtual environment in your current project:

```
mkdir project-name && cd project-name  
python3 -m venv .env  
source .env/bin/activate  
pip3 install adafruit-circuitpython-slideshow
```


CHAPTER 3

Usage Example

```
from adafruit_slideshow import PlayBackOrder, SlideShow
import board
import pulseio

# Create the slideshow object that plays through once alphabetically.
slideshow = SlideShow(board.DISPLAY, pulseio.PWMOut(board.TFT_BACKLIGHT), folder="/",
                      loop=False, order=PlayBackOrder.ALPHABETICAL)

while slideshow.update():
    pass
```


CHAPTER 4

Contributing

Contributions are welcome! Please read our [Code of Conduct](#) before contributing to help this project stay welcoming.

CHAPTER 5

Documentation

For information on building library documentation, please check out [this guide](#).

6.1 Simple test

Ensure your device works with this simple test.

Listing 1: examples/slideshow_simpletest.py

```
1  """Basic demonstration script will create a slideshow
2  object that plays through once alphabetically."""
3  import board
4  from adafruit_slideshow import PlaybackOrder, SlideShow
5
6  # use built in display (PyPortal, PyGamer, PyBadge, CLUE, etc.)
7  # see guide for setting up external displays (TFT / OLED breakouts, RGB matrices, etc.
8  # → https://learn.adafruit.com/circuitpython-display-support-using-displayio/display-
9  # → and-display-bus
10 display = board.DISPLAY
11
12 # pylint: disable=no-member
13
14 slideshow = SlideShow(
15     board.DISPLAY,
16     None,
17     folder="/images/",
18     loop=False,
19     order=PlaybackOrder.ALPHABETICAL,
20     dwell=10,
21 )
22 while slideshow.update():
23     pass
```

6.2 adafruit_slideshow

CircuitPython helper library for displaying a slideshow of images on a display.

- Author(s): Kattni Rembor, Carter Nelson, Roy Hooper, Melissa LeBlanc-Williams

6.2.1 Implementation Notes

Hardware:

- Adafruit Hallowing M0 Express

Software and Dependencies:

- Adafruit CircuitPython firmware for the supported boards: <https://github.com/adafruit/circuitpython/releases>

class `adafruit_slideshow.HorizontalAlignment`

Defines possible horizontal alignment orders.

class `adafruit_slideshow.PlayBackDirection`

Defines possible slideshow playback directions.

BACKWARD = -1

The next image is before the current image. When alphabetically sorted, this is towards A.

FORWARD = 1

The next image is after the current image. When alphabetically sorted, this is towards Z.

class `adafruit_slideshow.PlayBackOrder`

Defines possible slideshow playback orders.

ALPHABETICAL = 0

Orders by alphabetical sort of filenames

RANDOM = 1

Randomly shuffles the images

class `adafruit_slideshow.SlideShow`(*display*, *backlight_pwm=None*, *, *folder='/'*, *order=0*, *loop=True*, *dwell=3*, *fade_effect=True*, *auto_advance=True*, *direction=1*, *h_align=1*, *v_align=1*)

Class for displaying a slideshow of .bmp images on displays.

Parameters

- **folder** (*str*) – Specify the folder containing the image files, in quotes. Default is the root directory, `"/"`.
- **order** (`PlayBackOrder`) – The order in which the images display. You can choose random (`RANDOM`) or alphabetical (`ALPHABETICAL`). Default is `ALPHABETICAL`.
- **loop** (*bool*) – Specify whether to loop the images or play through the list once. `True` if slideshow will continue to loop, `False` if it will play only once. Default is `True`.
- **dwell** (*int*) – The number of seconds each image displays, in seconds. Default is 3.
- **fade_effect** (*bool*) – Specify whether to include the fade effect between images. `True` tells the code to fade the backlight up and down between image display transitions. `False` maintains max brightness on the backlight between image transitions. Default is `True`.

- **auto_advance** (*bool*) – Specify whether to automatically advance after dwell seconds. True if slideshow should auto play, False if you want to control advancement manually. Default is True.
- **direction** (*PlayBackDirection*) – The playback direction.
- **h_align** (*HorizontalAlignment*) – The Horizontal alignment of smaller/larger images
- **v_align** (*VerticalAlignment*) – The Vertical alignment of smaller/larger images

Example code for Hallowing Express. With this example, the slideshow will play through once in alphabetical order:

```
from adafruit_slideshow import PlayBackOrder, SlideShow
import board
import pulseio

slideshow = SlideShow(board.DISPLAY, pulseio.PWMOut(board.TFT_BACKLIGHT), folder=
↳"/",
                    loop=False, order=PlayBackOrder.ALPHABETICAL)

while slideshow.update():
    pass
```

Example code for Hallowing Express. Sets dwell to 0 seconds, turns auto_advance off, and uses capacitive touch to advance backwards and forwards through the images and to control the brightness level of the backlight:

```
from adafruit_slideshow import PlayBackOrder, SlideShow, PlayBackDirection
import touchio
import board
import pulseio

forward_button = touchio.TouchIn(board.TOUCH4)
back_button = touchio.TouchIn(board.TOUCH1)

brightness_up = touchio.TouchIn(board.TOUCH3)
brightness_down = touchio.TouchIn(board.TOUCH2)

slideshow = SlideShow(board.DISPLAY, pulseio.PWMOut(board.TFT_BACKLIGHT), folder=
↳"/",
                    auto_advance=False, dwell=0)

while True:
    if forward_button.value:
        slideshow.direction = PlayBackDirection.FORWARD
        slideshow.advance()
    if back_button.value:
        slideshow.direction = PlayBackDirection.BACKWARD
        slideshow.advance()

    if brightness_up.value:
        slideshow.brightness += 0.001
    elif brightness_down.value:
        slideshow.brightness -= 0.001
```

advance ()

Displays the next image. Returns True when a new image was displayed, False otherwise.

auto_advance = None

Enable auto-advance based on dwell time. Set to `False` to manually control.

brightness

Brightness of the backlight when an image is displaying. Clamps to 0 to 1.0

current_slide_name

Returns the current image name.

direction = None

Specify the playback direction. Default is `PlayBackDirection.FORWARD`. Can also be `PlayBackDirection.BACKWARD`.

dwell = None

The number of seconds each slide displays, in seconds.

fade_effect = None

Whether to include the fade effect between slides. `True` tells the code to fade the backlight up and down between slide display transitions. `False` maintains max brightness on the backlight between slide transitions.

h_align

Get or Set the Horizontal Alignment

loop = None

Specifies whether to loop through the slides continuously or play through the list once. `True` will continue to loop, `False` will play only once.

order

The order in which the images display. You can choose random (`RANDOM`) or alphabetical (`ALPHA`).

update ()

Updates the slideshow to the next image.

v_align

Get or Set the Vertical Alignment

class `adafruit_slideshow.VerticalAlignment`

Defines possible vertical alignment orders.

CHAPTER 7

Indices and tables

- `genindex`
- `modindex`
- `search`

a

`adafruit_slideshow`, 13

A

adafruit_slideshow (module), 13
advance () (adafruit_slideshow.SlideShow method), 15
ALPHABETICAL (adafruit_slideshow.PlayBackOrder attribute), 14
auto_advance (adafruit_slideshow.SlideShow attribute), 15

B

BACKWARD (adafruit_slideshow.PlayBackDirection attribute), 14
brightness (adafruit_slideshow.SlideShow attribute), 16

C

current_slide_name
(adafruit_slideshow.SlideShow attribute), 16

D

direction (adafruit_slideshow.SlideShow attribute), 16
dwell (adafruit_slideshow.SlideShow attribute), 16

F

fade_effect (adafruit_slideshow.SlideShow attribute), 16
FORWARD (adafruit_slideshow.PlayBackDirection attribute), 14

H

h_align (adafruit_slideshow.SlideShow attribute), 16
HorizontalAlignment (class in adafruit_slideshow), 14

L

loop (adafruit_slideshow.SlideShow attribute), 16

O

order (adafruit_slideshow.SlideShow attribute), 16

P

PlayBackDirection (class in adafruit_slideshow), 14
PlayBackOrder (class in adafruit_slideshow), 14

R

RANDOM (adafruit_slideshow.PlayBackOrder attribute), 14

S

SlideShow (class in adafruit_slideshow), 14

U

update () (adafruit_slideshow.SlideShow method), 16

V

v_align (adafruit_slideshow.SlideShow attribute), 16
VerticalAlignment (class in adafruit_slideshow), 16