

---

# **AdafruitMPL115A2 Library Documentation**

*Release 1.0*

**Carter Nelson**

**Apr 10, 2020**



---

## Contents

---

<b>1</b>	<b>Dependencies</b>	<b>3</b>
1.1	Installing from PyPI . . . . .	3
<b>2</b>	<b>Usage Example</b>	<b>5</b>
<b>3</b>	<b>Contributing</b>	<b>7</b>
<b>4</b>	<b>Documentation</b>	<b>9</b>
<b>5</b>	<b>Table of Contents</b>	<b>11</b>
5.1	Simple test . . . . .	11
5.2	adafruit_mpl115a2 . . . . .	11
5.2.1	Implementation Notes . . . . .	11
<b>6</b>	<b>Indices and tables</b>	<b>13</b>
	<b>Python Module Index</b>	<b>15</b>
	<b>Index</b>	<b>17</b>



CircuitPython driver for MPL115A2 I2C Barometric Pressure/Temperature Sensor.



This driver depends on:

- [Adafruit CircuitPython](#)
- [Bus Device](#)

Please ensure all dependencies are available on the CircuitPython filesystem. This is easily achieved by downloading the [Adafruit library and driver bundle](#).

## 1.1 Installing from PyPI

On supported GNU/Linux systems like the Raspberry Pi, you can install the driver locally [from PyPI](#). To install for current user:

```
pip3 install adafruit-circuitpython-mp115a2
```

To install system-wide (this may be required in some cases):

```
sudo pip3 install adafruit-circuitpython-mp115a2
```

To install in a virtual environment in your current project:

```
mkdir project-name && cd project-name
python3 -m venv .env
source .env/bin/activate
pip3 install adafruit-circuitpython-mp115a2
```





## CHAPTER 2

---

### Usage Example

---

See usage examples in the examples folder.



## CHAPTER 3

---

### Contributing

---

Contributions are welcome! Please read our [Code of Conduct](#) before contributing to help this project stay welcoming.



## CHAPTER 4

---

### Documentation

---

For information on building library documentation, please check out [this guide](#).



### 5.1 Simple test

Ensure your device works with this simple test.

Listing 1: examples/mdl115a2\_simpletest.py

```
1 import time
2 import board
3 import busio
4 import adafruit_mpl115a2
5
6 i2c = busio.I2C(board.SCL, board.SDA)
7
8 mpl = adafruit_mpl115a2.MPL115A2(i2c)
9
10 while True:
11     print("Pressure: {}    Temperature: {}".format(mpl.pressure, mpl.temperature))
12     time.sleep(1)
```

### 5.2 adafruit\_mpl115a2

CircuitPython driver for MPL115A2 I2C Barometric Pressure/Temperature Sensor.

- Author(s): Carter Nelson

#### 5.2.1 Implementation Notes

**Hardware:**

- MPL115A2 I2C Barometric Pressure/Temperature Sensor

### Software and Dependencies:

- Adafruit CircuitPython firmware for the supported boards: <https://github.com/adafruit/circuitpython/releases>
- Adafruit's Bus Device library: [https://github.com/adafruit/Adafruit\\_CircuitPython\\_BusDevice](https://github.com/adafruit/Adafruit_CircuitPython_BusDevice)

**class** `adafruit_mpl115a2.MPL115A2` (*i2c, address=96*)  
Driver for MPL115A2 I2C barometric pressure / temperature sensor.

**pressure**

The pressure in hPa.

**temperature**

The temperature in deg C.



## CHAPTER 6

---

### Indices and tables

---

- `genindex`
- `modindex`
- `search`



**a**

`adafruit_mpl115a2`, [11](#)



## A

adafruit\_mpl115a2 (*module*), 11

## M

MPL115A2 (*class in adafruit\_mpl115a2*), 12

## P

pressure (*adafruit\_mpl115a2.MPL115A2 attribute*),  
12

## T

temperature (*adafruit\_mpl115a2.MPL115A2 at-  
tribute*), 12